Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S16	0	TEOH-WAN-YEN.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 15:57
S17	0	LAW-CHE-SEONG.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 13:49
S18	44	address with stress\$4 with cycl\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:02
S19	2	S18 and (gray grey)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:03
S20	25	S18 and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:04
S21	19	S18 and heat	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/10/04 14:04
S22	516	stress\$4 and cycl\$4 and ((operating operation) near3 life) and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:04
S23	14	stress\$4 same cycl\$4 same ((operating operation) near3 life) same memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:05

S24	48	S22 and (gray grey)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:05
S25	7	S22 and ((gray grey) with (code pattern))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:07
S26	26	S22 and (charge same fail\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:19
S27	9	S22 and (charge with fail\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:19
S28	516	stress\$4 and cycl\$4 and ((operating operation) near3 life) and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/10/04 15:55
S29	0	S28 and HTOL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 15:55
S30	171	S28 and (high near2 temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 15:55
S33	44	address with stress\$4 with cycl\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 15:59

S34	19	S33 and ("711" "365").clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 15:58
S35	16	address same stress\$4 same cycl\$4 same bit same pattern	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:04
S36	44	address same stress\$4 same bit same pattern	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:56
S37	2	"6,055,199".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:07
S38	1	S36 and (grey gray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:20
S39	5	address and stress\$4 and (bit same pattern) and HTOL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:37
S42	2	"6308249".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/10/04 17:55
S43	12	("4550431" "4835712" "5381518" "5450363" "5633636" "5737142" "5758192" "6127948").PN. OR ("6308249"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/04 17:55

S44	. 8	((gray grey) near3 code) and (stress\$4 same address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 20:30
S45	666	((gray grey) near3 code) and (cycl\$4 same address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:58
S46	28	((gray grey) near3 code) and (cycl\$4 same address) and stress\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:58
S47	25	((gray grey) near3 code) and (stress\$4 same bit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 19:10
S48	50	speed with transition with (gray grey)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 19:10
S49	4	speed with transition with (gray grey) with code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 19:11
S50	351	speed with (gray grey) with code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 19:11
S51	321	((gray grey) near2 code) with speed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 19:14

					[· · · · · · · · · · · · · · · · · · ·	
S52	7	S51 and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 19:13
S53	8	S51 and "365".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 19:13
S55	35	((gray grey) near2 code) with speed with (increas\$4 improv\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 19:14
S56	3	("6703950" "6809666" "6836525").PN. OR ("7071855"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/04 19:19
S57	8	HTOL and stress\$4 and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 20:33
S58	871	(high near2 temperature) same stress\$4 same memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 20:33
S59	0	(high near2 temperature near2 operating near2 life) same stress\$4 same memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 20:34
S60	15	(high near2 temperature near2 operating near2 life) same stress\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 20:34

Sign in

Go to Google Home

 Web
 Images
 Video^{New!}
 News
 Maps
 more »

 gray code switching
 Search
 Advanced Search Preferences

Web

Results 1 - 10 of about 2,580,000 for gray code switching. (0.20 seconds)

[PDF] Improving Microcontroller Power Consumption through a Segmented ...

File Format: PDF/Adobe Acrobat - View as HTML microprocessor program counters that exploits the **switch**-. ing activity enhancements of a **gray code** on high capacitive. microcontroller address lines while ... www.iccd-conference.org/proceedings/1999/04060277.pdf - Similar pages

[PDF] AB 135 (Ripple-Carry Gray Code Counters in FLEX 8000 Devices)

File Format: PDF/Adobe Acrobat

Ripple-carry **Gray code** counters have less system-level **switching** noise. and, consequently, less ground plane noise than binary counters have, ... www.altera.com/literature/ab/ab135_01.pdf - <u>Similar pages</u>

Math Trek: Light Bulb Puzzles, Science News Online, Jan. 7, 2006

One way of solving the problem involves using a binary **Gray code**. ... There seems to be no end to these bulb-and-**switch** puzzles! References: ... www.sciencenews.org/articles/20060107/mathtrek.asp - 42k - <u>Cached</u> - <u>Similar pages</u>

Ivars Peterson's MathTrek - Light Bulb Puzzles

One way of solving the problem involves using a binary **Gray code**. ... One of the most widely circulated of **switch** puzzles focuses on a light bulb and three ... www.maa.org/mathland/mathtrek 01 09_06.html - 10k - <u>Cached</u> - <u>Similar pages</u>

[PDF] SOME ISSUES IN GRAY CODE ADDRESSING - VLSI, 1996. Proceedings ...

File Format: PDF/Adobe Acrobat

ABSTRACT. **Gray code** addressing is one of the techniques previ-. ously proposed to reduce **switching** activity on high ca-. pacitance address bus lines. ... ieeexplore.ieee.org/iel2/3536/10625/00497616.pdf?arnumber=497616 - Similar pages

Welcome to IEEE Xplore 2.0: A segmented gray code for low-power ...

The paper presents a novel approach to using the **switching** activity enhancements of a **gray code** on high capacitive microcontroller address lines. ... ieeexplore.ieee.org/xpls/abs_all.jsp?tp=&arnumber=794474 - <u>Similar pages</u> [More results from ieeexplore.ieee.org]

Information and Control -- 1963

Affine m -ary **Gray codes**. Information and Control , 6(1):70-78, March 1963. ... On dynamic **switching** in one-dimensional iterative logic networks. ... theory.lcs.mit.edu/~iandc/ic63.html - 12k - <u>Cached</u> - <u>Similar pages</u>

Digital or resistorless interval wiper switch and system - Patent ...

The use of a **Gray code** ganged wiper **switch** and an electronic circuit controlling the washer-pump motor and wiper motor allow the use of a minimal number of ... www.freepatentsonline.com/6069461.html - 36k - <u>Cached</u> - <u>Similar pages</u>

Elma Europe: Products Switches, Knobs & LEDs Coded Switches

Gray Code 0 - F (16 pos.) one pole 3 pos. center off, BCD (8/10 pos.) BCD compl. ... **Switching** cycles Rotations, >10'000 cycles 16 pos. >7'500 cycles 3 pos. ... www.elma.de/eu/products/rotary_components/**Code**d%20Switches/ - 30k - <u>Cached</u> - <u>Similar pages</u>

EE141 - Fall 1994- Project 1

The goal of this project is to design an 8-bit **Gray code** to binary **code** ... the PDP is simply the energy consumed by the logic block per **switching** event. ... infopad.eecs.berkeley.edu/~icdesign/PROJECTS/gray2binary.html - 10k - Cached - Similar pages

Result Page:	1 2 3 4 5 6 7 8 9 10	<u>Next</u>
	de switching	Search
Filtrassite access	guage Tools Search Tips D	

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google



Scholar All articles Recent articles

Results 1 - 10 of about 64,900 for gray code speed. (0.11 seconds)

All Results

P Gray C Faloutsos

C Su

L Benini

T Cho

A CMOS 8-Bit High-Speed A/D Converter IC - group of 3 »

A Yukawa - Solid-State Circuits, IEEE Journal of, 1985 - ieeexplore ieee.org ... the flip-flop speed can be made faster, as inverter buffer is connected to ... as a diffused layer, 256 comparators, 255 AND gates, and PLA, a gray code to binary ... Cited by 59 - Related Articles - Web Search

[сітатіон] A Survey of Combinatorial Gray Codes - group of 10 » C Savage - SIAM Review, 1997 - Society for Industrial and Applied Mathematics ... computation. For example, in [86] Nijenhuis and Wilf show how to use a binary Gray code to speed up computation of the permanent. Aside ...

Cited by 60 - Related Articles - Web Search - BL Direct

Gray codes for partial match and range queries - group of 8 »

C Faloutsos - Software Engineering, IEEE Transactions on, 1988 - ieeexplore.ieee.org ... buck, ize 2 0000 0001 0010 not 0100 0101 0110 0111 1000 1001 1010 1011 1100 1101 1110 lilt $G_{1,1}$ 0 G0 G(n) = $G_{1,1}$ 2c is a i-bit **Gray code**, then obviously the ... Cited by 78 - Related Articles - Web Search - Library Search

Some Issues in Gray Code Addressing - group of 4 »

H Mehta, RM Owens, MJ Irwin - Proceedings of the 6th Great Lakes Symposium on VLSI, 1996 - doi.ieeecomputersociety.org

... in power con- sumption incurred due to code conversions (binary to gray, gray to binary ... devices such as cellular phones require high speed and also low ... Cited by 50 - Related Articles - Web Search

Multiattribute hashing using Gray codes - group of 5 »

C Faloutsos - Proceedings of the 1986 ACM SIGMOD international conference ..., 1986 portal.acm.org

... that its computation IS performed with CPU speed Therefore, the ... bucket) clusters when we use binary codes, and 2 clusters when we use Gray codes (see Figure 3 ... Cited by 57 - Related Articles - Web Search

[PS] Bandwidth efficient turbo coding for high speed mobile satellite communications - group of 5 »

SA Barbulescu, W Farrell, P Gray, M Rice - Proc. Int. Symp. on Turbo Codes and Related Topics - itr.unisa.edu.au

... of turbo codes in conjunction with 16QAM in high speed mobile satellite ... codes obtained

from puncturing a rate third turbo code [1, 2] and Gray mapping into a ... Cited by 23 - Related Articles - View as HTML - Web Search

A high-speed 8 bit A/D converter based on a Gray-code multiple folding circuit

U Fiedler, D Seitzer - Solid-State Circuits, IEEE Journal of, 1979 - ieeexplore.ieee.org ... American Educational Foundation and in 1970 he received a GTE Fellowship. A High-Speed 8 Bit A/D Converter Based on a Gray-Code Multiple Folding Circuit ... Cited by 8 - Related Articles - Web Search

Topological properties of hypercubes - group of 5 »

Y Saad, MH Schultz - Computers, IEEE Transactions on, 1988 - ieeexplore ieee.org ... REFERENCES [1] DA Anderson, "Design of self-checking digital networks using **code** techniques," TR R-527, Univ. fflinois, 1971. ... Cited by 436 - Related Articles - Web Search - Library Search

Optimal partitioners and end-case placers for standard-cell layout - group of 22 »

AE Caldwell, AB Kahng, IL Markov, SS Inc, CA ... - Computer-Aided Design of Integrated Circuits and Systems, ..., 2000 - ieeexplore ieee.org ... the existence of legal balanced solutions is not guaranteed; these are similar to those given for **Gray code**-based enumera- tive partitioners. 2) **Speed**-Ups for ... Cited by 58 - Related Articles - Web Search - Library Search - BL Direct

Toward optimal structured light patterns - group of 15 »

E Horn, N Kiryati - Image and Vision Computing, 1999 - doi.ieeecomputersociety.org ... In order to **speed** up the range sensing process and to eliminate scanning ... is based on spatio-temporal modulation has been described in [B]. **Gray code** is used to ... Cited by 37 - Related Articles - Web Search - Library Search

Goooooooogle >

Result Page: 1 2 3 4 5 6 7 8 9 10 **Nex**

gray code speed Search

Google Home - About Google - About Google Scholar

©2006 Google